

**PUD NO. 1 OF SKAGIT COUNTY
PIPELINE RELOCATION AT ALGER INTERCHANGE PROJECT**

ADDENDUM NO. 3

Date of Issue: May 30, 2025

To All Planholders and/or Prospective Bidders:

The time and place of bidding remain unchanged as 11:00 AM, Tuesday, June 3, 2025, at Public Utility District No. 1 of Skagit County.

Acknowledge receipt of this Addendum in the space provided in the BID FORM. Failure to do so may subject the Bidder to disqualification.

The following changes, additions, and/or deletions are hereby made a part of the project bid documents for the Pipeline Relocation at Cedardale Road Project and shall have the same effect as if set forth therein.

A. PROCUREMENT FORMS:

- a. Remove the existing Bid Schedule (Procurement Forms and Supplements 00 40 00 pages 3 & 4) and insert the attached Bid Schedule) revised May 30, 2025.

The Bid Schedule change includes the following:

1. Revision of Description to Bid Schedule Item 27.

This Addendum consists of a total of this one (1) page.



Mark Handzlik, P.E., Engineering Manager
Skagit PUD

| BID SCHEDULE: PIPELINE RELOCATION AT ALGER INTERCHANGE PROJECT | | | | | |
|---|--|----------------------|-------------|-------------------|--------------|
| Item No. | Bid Schedule Description | Est. Quantity | Unit | Unit Price | Total |
| 1. | Mobilization | 1 | LS | \$ | \$ |
| 2. | SPCC Plan, TESC Plan, Contractors Safety Plan, and Site-Specific Safety Plan, Shoring Plan, and Steel Plate Plan | 1 | LS | \$ | \$ |
| 3. | Construction Surveying | 1 | LS | \$ | \$ |
| 4. | Install and Maintain Temporary Erosion Control and Water Pollution Control Measures | 1 | LS | \$ | \$ |
| 5. | Project Temporary Traffic Control | 1 | LS | \$ | \$ |
| 6. | Asphalt Saw Cutting | 868 | IN-FT | \$ | \$ |
| 7. | Removal and Disposal of Asphalt | 128 | SY | \$ | \$ |
| 8. | Roadway Excavation, including Haul | 43 | CY | \$ | \$ |
| 9. | Rock Excavation | 200 | CY | \$ | \$ |
| 10. | Furnish and Install Engineer-Ordered Over Excavation or Shoring | 2970 | SF | \$ | \$ |
| 11. | Furnish and Install Engineer-Ordered Trench Stabilization Material | 10 | Tons | \$ | \$ |
| 12. | Furnish and Install Adequate Site and Trench Safety Systems in Accordance with Chapter 49.17 RCW | 1 | LS | \$ | \$ |
| 13. | Furnish and Install 8-Inch Watermain Temporary Bypass | 1 | LS | \$ | \$ |
| 14. | Furnish and Install 12-inch DI CL50 Pipe, including Trench Excavation, Dewatering, Backfill and Compaction | 38 | LF | \$ | \$ |
| 15. | Furnish and Install 12-inch Butterfly Valve with Valve Box and Cover | 2 | EA | \$ | \$ |
| 16. | Furnish and Install 14-inch HDPE Pipe, including Trench Excavation, Dewatering, Backfill and Compaction | 177 | LF | \$ | \$ |
| 17. | Furnish and Install 14-inch HDPE Mitered or Sweep Fitting | 4 | EA | \$ | \$ |
| 18. | Furnish and Install HDPE / DI Transition or Flanged End | 2 | EA | \$ | \$ |
| 19. | Furnish and Install 2-inch HDPE Fiber Conduit | 215 | LF | \$ | \$ |
| 20. | Furnish and Install 24-inch C-900 PVC Watermain Casing | 40 | LF | \$ | \$ |
| 21. | Furnish and Install Protection Plates | 165 | LF | \$ | \$ |

| | | | | | |
|-----|--|-----|------|----------|----|
| 22. | Gravel Backfill for Pipe Zone Bedding | 137 | Tons | \$ | \$ |
| 23. | Bank Run Gravel for Trench Backfill | 556 | Tons | \$ | \$ |
| 24. | Furnish and Install Trench Dam | 2 | EA | \$ | \$ |
| 25. | Key Block | 2 | EA | \$ | \$ |
| 26. | Furnish and Install Electrical Handhole Vault | 2 | EA | \$ | \$ |
| 27. | Furnish and Install 2-inch Combination Air Valve Assembly | 1 | EA | \$ | \$ |
| 28. | Waterline Flushing, Pressure Testing, Disinfection and Bac-T testing | 1 | LS | \$ | \$ |
| 29. | Connection Work for Tie-In at Station 0+68 | 1 | LS | \$ | \$ |
| 30. | Connection Work for Tie-In at Station 2+60 | 1 | LS | \$ | \$ |
| 31. | Furnish and Place Woven Geotextile for Separation | 284 | SY | \$ | \$ |
| 32. | Furnish and Install Gravel Base, including Compaction | 143 | Tons | \$ | \$ |
| 33. | Furnish and Place Crushed Surfacing Material, Top Course, including Compaction | 30 | Tons | \$ | \$ |
| 34. | Furnish and Install Hot Mix Asphalt Class ½-inch PG 64-22 | 15 | Tons | \$ | \$ |
| 35. | Furnish and Place Topsoil Type B | 460 | SY | \$ | \$ |
| 36. | Seeding and Fertilizing by Hand | 460 | SY | \$ | \$ |
| 37. | Paint Line | 209 | LF | \$ | \$ |
| 38. | Minor Changes | 1 | Est | \$10,000 | \$ |

| | |
|---------------------------|----|
| Sub-Total Base Bid | \$ |
| Sales Tax (8.6%) | \$ |
| Total Bid Amount | \$ |

DOLLARS

Total Bid with Sales Tax (written in words)